

2408

**REMOVAL ACTION MEMORANDUM: WATER  
TREATMENT REPLACEMENT**

**XX-XX-XX**

**DOE-187-92  
DOE-FO/WEMCO  
2  
LETTER**



**Department of Energy**  
**Fernald Environmental Management Project**  
P.O. Box 398705  
Cincinnati, Ohio 45239-8705  
(513) 738-6357

2408

DOE-187-92

Mr. W. H. Britton, President  
Westinghouse Environmental Management  
Company of Ohio  
P. O. Box 398704  
Cincinnati, Ohio 45239-8704

Dear Mr. Britton:

**REMOVAL ACTION MEMORANDUM: WATER TREATMENT REPLACEMENT PROJECT**

The enclosed Removal Site Evaluation for the Water Treatment Replacement Project has been reviewed by my office. Based on this review, DOE has determined that this project to eliminate the generation and disposal of sludge and thereby mitigate the potential release of hazardous substances from the North Lime Sludge Pond, constitutes a time-critical removal action. The Administrative Record for RI/FS should include this document.

WEMCO should submit a work plan to address this project within 60 days of the date of this letter.

If your staff has any questions, please have them contact Johnny Reising at extension 9083.

Sincerely,

*fr* R. E. Tiller  
Manager

FO:Reising

Enclosure: As stated

cc w/encl.:

D. J. Carr, WEMCO  
S. W. Coyle, WEMCO  
H. F. Daugherty, WEMCO  
R. L. Gardner, WEMCO  
J. P. Hopper, WEMCO  
D. A. Lojek, WEMCO  
L. Pennington, WEMCO  
R. J. Skalka, WEMCO  
AR Coordinator, WEMCO